

## Argus 3E

- 3MP Super HD
- People/Vehicle/Animal Detection
- Color Night Vision
- No Monthly Fee


## Specifications

Other Features	
Smart Alarm	PIR detection; motion detection; person detection; vehicle detection; animal detection
PIR Detecting Angle	100° horizontal
Recording Modes	Triggered recording
Smart Alarm	PIR detection; motion detection; person detection; vehicle detection; animal detection
PIR Detecting Distance	Adjustable, up to 10m (33ft)
PIR Detecting Angle	100° horizontal
Recording Modes	Triggered recording
Time Lapse	YES
Smart Home Compatibility	Google Assistant
Home Hub Compatibility	YES
Cloud Storage	Supports Reolink Cloud (available in selected countries)
Video & Audio	
Image Sensor	1/2.7" CMOS sensor
Resolution	2304x1296 (3 megapixels) @15fps

Lens	f=4mm , F=2.0
Video Compression	H.264/H.265
Field of View	Diagonal: 115° ; Horizontal: 88°; Vertical: 50°
Infrared Night Vision	Up to 10 meters (33ft); LED: 6pcs/0.8W/850nm (Auto-switching with IR-cut filter)
Color Night Vision	With spotlights: 2pcs/2W/6500K
Frame Rate	Main stream: 10fps - 15fps (default: 15fps) ; Sub stream: 10fps - 15fps (default: 15fps)
Code Rate	Main stream: 1024Kbps - 2048Kbps (default: 2048Kbps) ; Sub stream: 64Kbps - 256Kbps (default: 192Kbps)
Audio	Two-way audio
<b>Power</b>	
Battery	5200mAh rechargeable battery (Battery life varies based on settings, usage & temperature.)
Solar	Reolink Solar Panel (3W)
<b>Interface</b>	
Power Port	USB Type-C port
SD Card Slot	Supports Max. 128GB microSD card
Reset Button	YES
Audio In/Out	Built-in microphone and speaker
<b>Wi-Fi</b>	
Wireless Standard	IEEE 802.11 b/g/n
Operating Frequency	2.4GHz
Wireless Security	WPA-PSK/WPA2-PSK
<b>Software</b>	
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Protocols & Standards	SSL, TCP/IP, UDP, UPNP, SMTP, NTP, P2P

User Access	Max. 12 simultaneous streams (2 main & 10 sub streams)
<b>Working Environment</b>	
Operating Temperature	-10°C~55°C (14°F~131°F)
Operating Humidity	20% ~ 85%
Weatherproof	IP65
<b>Mechanical</b>	
Dimensions	127*90*56mm
Weight (Without Bracket)	239g
<b>Warranty</b>	
Limited Warranty	2-year limited warranty. For support, visit <a href="https://support.reolink.com/hc/en-us/">https://support.reolink.com/hc/en-us/</a> .

## Gallery & Specs



1. Spotlight
2. Status LED
3. IR LED
4. Lens
5. Daylight Sensor
6. Built-In Mic
7. Built-In PIR Motion Sensor



1. Reset Button
2. Power Switch
3. microSD Card Slot
4. USB Type-C Port
5. Bracket
6. Speaker
7. Bracket Attachment Screw Hole

